# "LE'VZ 200/300 00P "

JUNE 1986. #12 \$1.00. J.C.E.D'ALTON. 39 Agnes St. TOOWONG. QLD. 4066.

AUSTRALIA.

Hi OOPs,

By the time you read this I will be doing my jogging and exersising seriously to be in shape for my skiing on Mt.Hotham in Victoria. Ahh-- to get away from the Queens-land heat for a few days.

If there is anyone else likely to be skiing down there Perhaps we could meet up. I will be there at the end of July, so if you are interested in talking a LITTLE about computers, let me know.

I have had a few 9ood compliments about LE'VZ, which is very 9ratifying. I thank those OOPs very much.

Bob Kitch, Larry Taylor and I had a little Pow-wow during Easter about the VZ and LE'VZ and have come up with some new ideas which should make LE'VZ even better with their help. I have received more contributions but would like more. Don't be afraid to let other folk know what you are doing with the VZ.



There are some who have added a full size keyboard, voice synthesiser, extra RAM memory and so on. And of course there are others who write good software. But the majority seem to be content to just Play games (someone elses), what a Pity. Programming in BASIC is not that hard. Like learning any language, Practice (in this case, at the keyboard) and determination is what is required. Give it a go!!

My recommendation is to fasten down by screwing or clamping the entire system, computer- VZ DTR- power Packs and disc drive (if any) to a base board. This can be a Piece of five Ply with rubber feet underneath. Or an old upturned cupboard drawer, where the Power Packs can be clamped up underneath.

The object is to ensure very little movement of the Pieces. The way some folk have the RAM unit flopping around amazes me. No wonder their system crashes from time to time. Once this has been done the real Pleasure of computing comes to light.

Some folk do have trouble with heat apparently causing crashes, but this seems to apply to the early VZ 200s. I have a VZ 200 which among other things, plays the door chime, and it is running 24 hours per day and crashes very rarely (once a fortnight/week). Admittedly it does not have the RAM pack plugged in causing more current drain, but I think it does demonstrate that the VZ can be used for long periods.

Now that you have set up the VZ correctly, would you like to really put it to some very useful purposes. The things that you may know that the Commodore, Atari, BBC, Microbse, Apple and others can do. Such as:--

Would you like to "talk" to other VZ owners and other computers???

Would you like to use the VZ in an alarm system???
Would you like to run serious/useful software like data bases or financial Packages???

Would you like to talk to other "HAMs" via Radio Teletype???

Would you like to listen to international RTTY diplomatic and news services???

Would you like to use computer bulletin boards???

I hope I have stirred your imagination, because all these things are asible via the VZ. There are a few Pieces of handware available from E.E. which will allow some of these things to be done. But don't expect of the D.S.E. staff to get these things going for you, they have good tentions but not the expertise or the time to spend with you.

There have been construction articles in the various magazines covering pese items, refer to Bob Kitch's list. There are other OOPs who have the experience to help those who need it. I hope to print articles on these ieces of hardware in future LE'VZs.

So I repeat, if you can contribute something, PLEASE send it to me for

inclusion in LE'VZ.

David Newcombe of 928-960 Beenleigh to Redland Bay Rd., CARBROOK QLD 4130. is a hardware chap who has been building Pieces of hardware for the MicroBee, and has now entered the VZ scene. He has built up RAM Packs which the Purchaser can fit more RAM I/Os as available cash is found. A fully finished 18K Pack for the VZ300 in the D.S.E. box costs approximatly \$70.00.

Another unit which is a ROM board can be fitted inside the RAM Pack. It means that Programme's that you use often are "burnt into" an EPROM and fits in the cartridge memory area at 4000H - 6000H. No need to have to load in the Programmers when needed. David invisages that the ROM capacity could be taken to 144K, YES 144K !!!

Price of a 64K ROM Pack with menu EPROM approx \$55.00.

David also has a Buffer Board which buffers the address, data, and some ional lines. This is necessary if more than a couple of external devises re connected to the VZ. Such as Printer, Joustick, disc drive. If a buffer s not fitted and you are experimenting by connecting a device to the VZ. can damage it as the Z80 microProcessor can only drive so many devices. Price approx \$60.75.

David needs to know what quantities of all the items are required by OOPs so that a better Pricing structure can be arrived at. Contact muself or David directly and let him know that you are an OOP.

With this LE'VZ I include a "liftout Page" of Bob Kitch's list. I (we) hope you like LE'YZ even more. There is a lot more to come, so keep tuned in ...er.. keeP readin9 LE'VZ.

> John D'Alton. GOD BLESS.



DICK SMITH ELECTRONICS NEW ZEALAND.

A few days I recieved a very welcome letter replying to one which I

wrote to Mr Yann Duran, who is the Computer Products Manager of N.Z. He will give me as much support as Possible, in relation to LE'VZ and

VSOFTWAREZ software. The same applies in the reverse as I Presently do for D.S.E. of Australia. More about this matter in the mext LE'VZ. I wish to stress to New Zealand VZ users that they contact Mr Duran at the Head Office, 260 Khyber Pass Rd, AUCKLAND, 'Phone 396-495 for help in any matter. He wants to give VZ users all the support that is possible. He has much of our data: - software and LE'VZ at his disposal, and soom demonstation tape and discs of our software.

This programme, MEAN STREETS by Bob Chappel was sent in by Bob Davis of Mildura.

```
1 RANDOM: REM INVISIBLE COMMAND
2 CLEAR 200
5 REM MEAN STREETS BOB CHAPPEL
UERSION BY A.LOCK
20 D$=" A CLUE. ":N$=" NOTHING! "
21 PK$= "
               PLEASE TYPE NUMBERS.
25 SL$=CHR$(31)+" THE SLEUTHS "
26 SP$=CHR$(31)+" THE SUSPECTS "
27 R$=" REUEALS"+CHR$(10)
30 WP$=CHR$(31)+" THE WEAPONS "+CHR$(10)
31 PL$=CHR$(31)+CHR$(10)+CHR$(10)+" THE
LOCATIONS "+CHR$(10)
35 ANS=" HERE'S LOOKING AT YOU KID! ":WR
$=" PLAY IT AGAIN SAM!!"
40 DIMH(12),E(15,4):2=RND(1000)
45 FORN=1T09:READT$(N):NEXT:FORN=1T09:RE
ADS$(N):NEXT
50 FORN=1T09:READU$(N):NEXT:FORN=1T09:RE
ADL $ (N) : NEXT
55 DATA"SHERLOCK", "KOJAK", "COLUMBO", "DR
WATSON", "MAIGRET'
56 DATA"INSP. CLOUSSEAU", "JIM ROCKFORD",
"DAN TANNER", "MS MARPLE"
65 DATA"JOHN D'ALTON", "PLATBOY'S EDITOR"
,"TEA LADY", "CLEANER"
66 DATA"BOB HAWKE", "IDA BUTTROSE", "DICK
SMITH!
62 DATA "OSSIE OSTRICH", "PETER PARRIT"
80 DATA"LETTER BOMB", "VIC RAIL COFFEE", "
COLT 45", "MALLE1"
82 DATA "POISON FRUIT CAKE", "LASER GUN"
83 DATA"KILLER SNOOPY", "CHRIS'SOCKS", "EL
ECTRIC SHOCK"
90 DATA "CIVIC BUILDINGS", "THE MURRAY", "A
WATERBED", "AREX PARK"
 95 DATA"PSYCHE BEND", "NO2 OUAL", "MILDURA
  STATION"
 96 DATA"TARGET", "OLYMPIC POOL"
 110 CLS:PRINT" MEAN STREETS "
 111 PRINT:PRINT:INPUT"YOUR NAME PLEASE";
 XX$
 112 PRINT:PRINT:PRINT"WHICH LEUEL (1-3)?
 115 INPUTA$
 120 LU=INT(UAL(A$)):IFLU(10RLU)3,110
 125 PRINTSL&:FORN=1T09:PRINTN;T&(N):NEXT
 130 PRINTPK$:FOR N=1 TO 4
 135 IFN=1, A$="I AM - "
 140 IF N=2, A$="YOU ARE -"
 145 IFN=3, A$="1ST ROOKIE IS - "
 150 IFN=4, A$="2ND ROOKIE IS - "
155 PRINTCHR$(10);A$;
157 IF N=2,T$(T(2))=XX$:GOTO 175
 160 GOSUB865: IFA (10RA)9, 160
165 FORN1=1TD4:IFT(N1)=A, 160
170 NEXT:T(N)=A
175 PRINTT&(T(N));
180 IFN=1, PRINT" OF PINKERTON'S";
 185 PRINT". ":NEXT:PRINT:GOSUB875
190 PRINTSP$:FORN=1TO3:PRINTN;S$(N)::EXT
195 PRINTPK4;:FORN=1T06:[FN ()6,PRINT"3US
PECT"N"IS ";
200 IFN=6, PRINT: PRINT"
                                 THE VICTI
M 1S:-
205 GOSUB865: IFA(10RA)9, 205
210 FORN1=1T06:1FS(N1)=A,205
215 NEXT:S(N)=A:PRINTS$(S(N));
228 PRINT" ": NEXT: GOSUB 825
225 PRINTNP#:FORM=1T00:PRINTN;W#(N):PEXT
230 PRINIPH::PRINTCHP#(10);:FORN=1TG5:FF
INT "WEAPON"N" IS A ";
235 GUSUB865:1FA(10RA)9,235
240 FORN1=1T05:1FW(N1)=A,235
245 NEXT: W(N) = A: PRINTWS (W(N)); ". ": NEXT:3
```

250 PRINTPL\$:FOPN=1103:PRINTN;L\$(N): "EXT

**OSUB825** 

```
755 PRINTPK#:PRINTCHR#(10):FORN=1TO5:PRI
NT"LOCATION"N"IS ";
260 GOSUBB65: IFA<10PA>0,260
265 FORNI-1105:1FL(N1)=0,260
270 NEXT:L(N)=0:PRINTL*(L(N))".":NEXT:GO
SURB23
275 CLS:PRINT:PPINT"
                        A SCREAM IN THE
NIGHTER
           ":SOUND14,8
289 FORN=1105:SS(N)=S(N):S(N)=0:NEXT:FOR
N=1105
285 Z=RND(5):FORN(=|110N-1:1FS(N1)=SS(7),
290 NEXT :S(N)=55(Z):NEXT
295 FORH= | TO5: WW(N)=W(N): W(N)=0: NEXT: FOR
N=1105
300 3=RND(5):FORN1=|TON-1:|FN(N1)=WW(8),
300
3P5 NEXT:W(N)=WW(Z):NEXT
310 FORN=1105:LL(N)=L(N):L(N)=0:NEXT:FOR
N=1105
720 HEYTH (N)=LL(Z):NEXT
325 A=1:FOPN=1T04:E(A,A)=S(N):E(A+1,B)=W
(N)+10:E(A+2,0)=L(N)+20
326 A=A+3:NEXT
330 FORN=11012
335 7=PND(12):FORN1=1TON-1:IFH(N1)=E(7,0
),335
319 NEXT :H(N)=E(Z, B) :NEXT
345 FORN=1TOS:E(N,@)=N:E(N+5,@)=N:E(N+1@
PX3M:NEXT
350 FORN=1T05:FORN1=1T03:IFH(N1)=SS(N),F
OR?=1TO4:E(N.Z)=1:NEXT
355 NEXT: FORN1=1TO3: IFH(N) = WW(N)+10, FOR
Z=1104:E(N+5,2)=1:NEXT
360 NEXT:FORN1=1103:IFH(N1)=LL(N)+20,FOR
2=1104:E(N+10,2)=1:NEXT
365 NEXT : NEXT : CLS
366 PRINT:PRINT:PRINT" YOUR CLUES, "T$CTC
23)":- ":FORN=4TOB:PRINT
370 IFH(N)>20, PRINTL*(H(N)-20):G0T0385
375 IFH(N)>10,PRINTH+(H(N)-10):GOTO385
380 PRINTS*(H(N))
385 NEXT:GOSUR875
330 CLS:PRINT:PRINTT#(T(2));", ":PRINT
391 PRINT" HAVE YOU SOLVED IT (Y/N)? ":G
05UB865
```

```
395 IFA = "Y", XX=1:CLS:PRINTCHR $ (10):PRIN
T" THE DENOLINCEMENT?? "
396 IFA#="Y",PRINT:PRINT:G010430
400 CLS:PRINT:PRINT" WHICH SLEUTH WILL Y
OU GRILL?
405 PRINT:PRINT:PRINT"1 ";:PRINTT*(T(1))
4P6 PRINT:PRINT"2 ";:PRINTI*(1(3))
402 PRINT:PRINT"3 ";:PRINTI*(T(4))
419 GOSUBB65: IFA (10RA) 3,410
415 IFA<>1,A=A+1
429 A1=A
425 CLS:PRINTCHR$(10)
430 FORN=1105:PRINTH; S$(SS(N)):NEXT:PRIN
431 PRINT" YOU SUSPECT? "
435 GOSUB865:A2=A
110 IFA(10RA)5,435
445 CLS:PRINTCHR$(10):PRINTCHR$(10)
446 FORN=1105:PR]NT;N;W*(WW(N)):NEXT:PR]
NT
117 PRINT" WHICH WEAPON? "
459 GOSUBB65:A3=A
455 IFA(10RA)5,450
460 CLS:PRINTCHR$(10):PRINTCHR$(10)
461 FORN=ITO5:PRINT;N;L$(LL(N)):NEXT:PRI
NT
462 PRINT" WHERE? '
465 GOSUB865:A4=A
420 IFA(10RA)5,465
425 Z=2:GNSUB480:GNT0515
480 CLS:PRINTCHR*(10):PRINT" THE MURDER OF ";5*(S(6))" "
```



YOUL

ADE TO



Ξa

TO BE CONLLIDED NEXT LEVEZ

485 IFXX=1,PRINT:PRINT

#### EXISTING SOFTNARE

**EDITOR/ASSEMBLER** 

CASH BOOK LEDGER

COLOUR GRAPHICS

UTILITYS WEAVING DRAFTS MATHS COUNTDOWN

WORDMATCHING

MEATPIES

VZ3-VZ4. VZ1-VZ4. VZ3-VZ4. VZ1-VZ4. VZ3-VZ4. VZ1-VZ4. VZ1-VZ4. VZ1-VZ4. VZ1-VZ4. VZ1-VZ4. VZ1-VZ4. VZ1-VZ4. VZ1-VZ4. MATHS COUNTDOWN
COORDINATES
TOWER OF HANDI
MICROSCOPE
BLOCK PUZZLER
PLUS and MINUS
MATHS
QUEENSLAND
EUROPEAN CAPITALS
CAMPING
MANSION and NOVA
N... VZ3-VZ4. for N
VZ MONOPOLY.
SEARCHTAPE
SCOTLAND YARD
LE'VZ D'BASE
DATABASE-VZ
HAUNTED MANSION \$ 12.50.
NOVA
\$ 12.50.
\$ 10.00.
\$ 12.50.
\$ 25.00.
\$ 25.00.
\$ 12.50.
\$ 14.95.
\$ 14.95.
\$ 14.95.
\$ 14.95.
\$ 14.95.
\$ 10.00. MANSION D/TG3 TU12 D/TG13 VZ3-VZ4. VZ1-VZ4. VZ3-VZ4. VZ3-VZ4. VZ3-VZ4. VZ3-VZ4. VZ1-VZ4. VZ3-VZ4. VZ3-VZ4. VZ3-VZ4. VZ3-YZ4. VZ3-VZ4. HAUNTED MANSION YZ EXTENDED BASIC PROTECT
CMERGE/DELETE/REN
MONITOR DEBUGGER
EXTENDED BASIC TU11 ARRAY/RESTORE
You must have TU10
D/TU12 FILESEARCH to VZ1-VZ4. D/T19 COPY/PROTECT. # 30.00. VZ1-VZ4.
Incorporates two Programmes BREAKPROOF and FILECOPIER. Using BREAKPROOF
Basic Programmes Produces versions which autorun and will automatically
Vart, if the CEPERKY key is pressed. FILECOPIER allows the transfer of is saved to Disc. which is loaded in at the next tyPed in and merged. This is then saved to Disc. be Printed at Previous expensive uide the attendation of on Disc. IE. are then calculated of Programmes stored than an Ξ Programmes to or from take or disc. CANNUT 4500 or similar rather Programme 50 50 50 that month/Period, you totals VII-1774. eass coPsing That \$ 69.99° **GP188** Pressed. mj (i) Ġ

20.00.
10.00.
10.00.
10.00.
10.00.
10.00.
10.00.
10.00.
10.00.
10.00.
10.500.
10.500.
10.500.
10.500.

V23-V24, VZ3-VZ4, VZ3-VZ4, VZ1-VZ4, VZ3-VZ4, VZ3-VZ4, VZ3-VZ4,

**\$ \$ \$** 

非非非非非非非非非非非非非非

## VSOFTWREEZ FROM JUNE 1986, SALE FOR SOFTWREE

<del>}+</del>

ب. بد

\*\*

Ditternat All prices one correct it time of Printing that may an All articles available while stocks lact. 

≰ ∓ #BXA4AA

All take software includes Posta9e up to four takes. notice.

DA

としないのの de ive Ċ lways state := which computer V2200 PAM unit , and if you have a disc dr) When ordering software, always state := which computer. You have an expansion PAM unit, and if you have a d CONTRACTED.

H ii N 25 = unexPanded VZ288. = exPanded VZ288. V25

unexPanded VI380. exPanded VI380.

umit. of E4. The Price stated is for a Tabe of add \$5.88, to the Tape Price. The Price ं हुत् इ. DBS = Disc only unit Take only unit of B15. Take or Disc unit of E4. is required, = Tabe only unit as stated unit . TB15 = . .DE4 = unit is a Disc 18 (i)

J faster service, send bank, building society, credit union Post money orders so that time is not wasted in waiting for leared. We will soon offer to accept BRNKCARD. Payable to J.D'ALTON or VSOFTWAREZ. or Aust Post money to be cleared, We cheques ှင် စီ Make Chedues. cheque

USC LETYZ SIRICHEM FORGE HIGGERS FOR THE SMITT SMITTED BASE. RANDOM ACCEDS RECORDS. For Small business use. Based on LETYZ D'BRSE. Random acceds records. Ruires the Disc Drive System, a Printer and VZ DTR. Process and Print end month statement's, labels, Pay into account etc. All money calculations month are newly. Paid in and Statement # totals. Cones with a 20 a demonstration. for More information or see V2.0 instruction booklet, Write Requires Deline.

723-724 ରେ ପର £7 CHEQUE LEDGER DISC 0000

based on I/81 (CASHBOOK LEDGER) but for Disc operation only, in that all data is saved/loaded to/from Disc.

Type in :- date, Paid to, cheque #, bank # and 12 other # columns. View data, correct (edit) data, printout of all data across two A4 sheets of order by printing the left side then the right side. This allows an S8 small business unit column Printer such as

session so that new data is tyPed in and merged. This is then s In this way the month's or Period's file is built up ready to business type. Each "type in session"

the close of the month/Period.

month's/Period's running Printed at the Bottom. 90010

DOOPY) and FILECOPIER canNOT copy a DISKGURRDED Disc. Basic Programmes are untomatically EPERKPROOFED to Produce an autorum ProGramme, which will rerun とうのくのいもの or Machine Code CEPERIC Key PISC GURRD. CURFO Basic 0000. Pisk

111:ted/listed

childresef. 9.00 FE a single key Press, Ouite 50,00, VZ3-VZ4, 0, <u>п</u> 2 that a Programme is selected Programmes EDUDISK. Educational DE1-8

T/DE3

...

Ť

MERTFIES VZ. # 15.00. VZ3-VZ4. Year (Grade) 5-7.
to E3. but features additional Graphics screens, more special Provision for the "Game" to be saved to tape. This allows the Programme VZ3-VZ4. This allows loading 30 FILES. # 7.95. VZ3-VZ4. This allows l (1) tapes. It is up to the user to modify the ● TU18, LOAD XXSG FILES. # 7.95. VZ3-VZ4. This allo System 80 and TRS 80 (1) tapes. It is up to the user to modify to run on a VZ. Some simple Programmes will run ok without any student/s to continue on where it was left before. MERTFIES VZ . to E3, Similar events and

People. (\*) VZ3-VZ4. Played by 20.00 ģ E F (Pontoon) BLECK JECK. **使到的** The cand 170536

graphics.

ب ن

LI LI

Good low

ö

Can break # 28.08. VZ3-VZ4. 9raPhics 9ame. See if you 1/DG37.POKER MACHINE. Another good low RES TZDG37. POKER •

T/DG38, MORDSQUARES. •

hidden in the for you. you you find words letters. You enter in the words and the VZ hides them YZ2-VZ4. **\$ 16.09.** where Same familian <u>a</u>

ب. آن

9000

\$ 15.88° game. TZDG39.COMPUTER MONOPOLY. #

15.80. 722-724. CHT. TADG49 TRIVIAL

to 100 Saits selects randomly up 1 an Educational unit. be an COMPLET Could al Same where the co your Seneral knowlede. educational questions to test all ages. ...

15.00. ₩ 1/DC41 SCOTLAND YARD, V2. You find out "who dunit".

D/TB1

DZTE1

D/TE2

DZTE3 DZTU3 TU5

D/TE4 D/TE5 D/TE6 D/TE7 D/TE8 TE20 TE24 TE25 TE27 TE30 D/TG2

DB4

TB15

TG35 TU6

TU7

TUS TŪ9

TU19

TU4

VZ2-VZ4.

Below is a patch to enable your editor assembler to list its source code. As stated in the manual using option C.

First enter Insert mode by entering 'I'. Then set code origin by entering 'O'. Now type in the below program, pressing RETURN at the end of each line.

```
;Size of transfer is 12 bytes.
001
         LD
             BC, OCH
002
         LD
             HL,LOOP
                         ;Point to new printer routine
                         ¿Point to editor assembler print out
003
         LD
             DE,8F54H
004
         LDIR
                         ;Transfer routine to editor assembler
005
         JP
                         ;Return control to editor assembler
             7BOOH
006 LOOP IN A, (00H)
                         ;Load printer status
007
         BIT O,A
                         ;Check ready bit
         JR NZ, LOOP
008
                         Repeat LOOP if not ready
009
         LD A,C
                         ;Load Accumalator with print data
         DUT (OEH), A
010
                         ; Dutput data to printer port
         A, (HDO) TUO
011
                         ; Another port for an early interface
012
         RET
                         ¡Get next character
```

Now assemble the program by entering 'A'. Now RUN the program by entering 'R' then press 'Y' to verify you wish to execute the program. Finish up by deleteing the program by entering 'D\*'. Your editor assembler may list programs now, just by selecting option 'C'. (enter 'SC').

```
;*** TEST PROGRAM 1 ***
1
2
                                           Editor/Assembler.
3
             P.THURSBY 12/85
4
          ;TO USE CHAR OUT ROUTINE
                                                There
5
          ON VZ300 COMPUTER.
                                           one
6
          SOUT EQU
                     33AH
7
          CLR EQU
                     1C9H
8
          EDIT EQU
                     7B00H
9
                                           the
                                                Problem.
10
          :SAVE ALL REGISTERS
                                           at
                                               the
                                                    Sydney
11
          STRT PUSH AF
                                           another
12
               PUSH DE
13
               PUSH HL
14
               PUSH BC
15
               CALL CLR
16
               POP
                     BC
17
               POP
                     HL
                                                * *
18
               POP
                     DE
19
               POP
                     AF
20
          ; NOW FOR SOUT ROUTINE
21
               PUSH BC
22
               LD
                     B,255
23
         LOOP LD
                     A,24H
24
               CALL SOUT
25
               DJNZ LOOP
26
               POP
                     BC
27
               JP
                    EDIT
          ;JUMP TO EDITOR/ASSEMBLER
28
```

;ASSEMBLE AT "O <RET>"

29

30

To use a Printer with the D.S.E.

There apparently is more than one version of the Ed/Ass. I do not have any trouble with mine and the GP100. The M/L routine sent by Peter Thursby some months ago gets around the Problem. Jamie Perry of D.S.E. at the Sydney "hot line" sent me another routine which is the D.S.E. Technical Bulletin # 116, abore,

\* \* NEXT LE'VZ \* \*
VZ200 and VZ300 memory map.
VZ video modifications Part one.
VARPTR Ext Basic Programming.
VZ Editor/Assembler tips.

BY SCOTT LE BAUN

To understand how the binary system works, we must revert back to how the decimal system works.

FIGURE (1)	- Decimal	Place value
		the same of the sa

4	3	2	1	9		
		10				

10000 1000 100 10 1

#### FIGURE (2)

=> 7428

### FIGURE (3) - Binary Place values

							1		
7 2	6	5	4	3	2	1	Ø		
2	2	2	2	2	2	2	2		
128	64	32	16	8	4	2	1		

#### 13 decimal = 1101 binary

Look up and find highest number that can be divided into table the number that you wish to convert.

$$13 \times 8 = 1$$
 remainder  $5 - 1$ 

$$5 \times 4 = 1$$
 remainder  $1 -$ 

$$1 \times 2 = 0$$
 remainder  $1 - 0$ 

$$1 \times 1 = 1$$

=> 1101

GOTO PAGE 7.

FIGURE (4)

The binary number:-

10101

$$1 \times 2^2 = 4$$

=> 21

(C) John D'Alton JUNE 1986.

All material printed in LEVZ 200/300 OOP is subject to Copyright.

Contributed material is reproduced with the permission of the Contributer on the understanding that the material is for private use of readers only.

Copyright is retained by the

2#12 P6.

#### SPEECH & MUSIC FROM YOUR VZ

Two types of peripheral device which can greatly expand the appeal of the VZ and enhance your interest in the machine (not to mention the enthusiasm that others will get for the computer) are VOICE and SOUND SYNTHESISERS. These are alternate and novel forms of sound output from the computer when one has tired of the entirely visual forms of output from the screen or printer. Music synthesis exceeds the capabilities of the VZ's inbuilt beeper.

A number of circuits and projects have appeared in the magazines over the past couple of years. This article briefly identifies these for those who may wish to build a board or alternatively register your interest with me so that we can make available these peripherals plus

software off-the-shelf.

Imagine the blockbusting use of voice and music synthesis in games

or applications.

A couple of introductory articles on speech synthesis appeared in BYTE Sep. 84 p.337 and I.T.E.C. #26 p.812. These are good background.

Magazine	Date	Name	Chip	Interface	Software
VOICE					
E.A.	Oct. 82 Apr. 83	Compu- voice	Votrax SC-01	Centronics	Yes
A.P.C.	Dec. 84	DIY voice synth.	**		н
E.T.I.	Jan.85 Apr.86	Chatter- box	11	n	, "
E.T.I	Mar.86	Talking VZ-200	GI SP0256	Parallel	No
A.E.M.	Feb.86	Project 4504	n	Centronics	Yes
P.E.	Mar.85 Jun.85	BBC	11 .	Parallel	H
P.E.	Jan.86	Spectrum	n	tı •	N
SOUND					
A.P.C.	Nov.84	DIY music synth.	TI SN76496	Centronics	
E.A.	Aug.83	Compu- muse	TI SN76489	u	n

So if you're tired of reading output from your computer how about LISTENING instead?

Copies available from Bob Kitch 7 Eurella St., KENMORE QLD. 4069

In April I was able to visit the Computer Sup

North Ryde. I met Jamie Perry who is the Product Specialist for VZ computer equipment. Jamie is the fellow who answers the "hot I enquiries on (02) 888-2002 (p.m. only).

I was shown some Public Domain Software for the VZ, and drafts three VZ-300 manuals being prepared for printing (a Technical Manuwith an expanded DOS section, a new Giant Book of Games and a review the Book of Programming). A number of DSE-Technical Bulletins Further Book of Programming). A number of DSE-Technical Bulletins have also been written to clarify certain features of the VZ.

DSE also has a Product Developement Group that can develope peripherals for the VZ if sufficient demand exists.

Any queries on the VZ can addressed to DSE on the hot line num Also indicate any further interests or problems you have with your to DSE so that support for the machine can continue.

BOD KICCH TENNONE QLD.

Now that's how to convert from bianry to decimal. Now comes the fun Part - converting from decimal to binary!

FIGURE (5) - Powers of 2

N
N
2
ARTICLE.

THE ONE THING I DON'T LIKE
ABOUT AUTOMATIC MACHINES
ABOUT AUTOMATIC MACHINES
IS THAT THEY AUTOMATICALLY
GO WRONG......Marie D'Alton.

LEVZ#12 P7.

SUPPLY LINE DECOUPLING NOT Shown. ( USE HTOHED ON INDOT IF NETSTAY)

12 #12 P8.

HI-RES DRAWING by M. Novakovic, VZ Club PH. (07)288-3045
(a modification of Craig Milner's JOYSTICK DRAWER)

This modification of joystick drawer is very interesting. Rather than using 1 joystick, this program uses 2 controls.

An added function lets your drawing be printed by a CP100.

500 MODE(1)
501 A=(INP(43)AND31):B=(INP(46)AND31)
502 IFA=23ANDX<127THEN X=X+1
503 IFA=27ANDX>0THENX=X-1
504 IFA=30ANDY>0THENY=Y-1
505 IFA=29ANDY<63THENY=Y+1
506 IFA=15THENCLS:END
507 IFB=15THENGOTO500
508 IFB=30THENCOPY
509 SET(X,Y)
510 GOTO501

Left Joystick

Right Joystick

COPY TO PRINTER

RESTART

DOWN

#### LD (6800H), A ; LOAD NEW INFORMATION SOLND DRIVER A INTO (783BH) TO SEE WAHT MODE YOU THE COPY OF (6800H). INTO (6800H) DRIVER ROLLT A, (6800H); LOAD A WITH THE ROLLINE IN ROM, BECAUSE Œ LOAD 9 CAINE COSESKI OF PERTH W.A BEFORE RETURNING $^{\circ}$ IF YOU WANT TO COLOUR TO BUFF ( SCREEN WILL BIT (783BH), A READ (783BH) S IMPORTANT LOADS YOU WANT EXAMPLE THAT TO ω FOR

#### SPEECH SYNTHESISER.

(1)

EMBLER

ASSI

(Y)

This five I/C circuit was sent by Dave Boyce. The speech I/C is a Tandy unit, but another I/C which is cheaper can be used. More about this later.

SEE PAGE &,

Please questions. better to foreyer." take advantage of this section to make a comment or ask I may not know all the answers, but someone else may. "It is be thought of as a fool for a few minutes, than be a fool

Dear Ed.,

The TRS-80/System-80 and Vic 20 computers are no longer sold or supported - having been superceded by newer machines. This fate awaits even the VZ'd! However, many happy Users are continuing to use their older hardware without trading up to new Gizmo's. How?

Both the TRS-80 and Vic-20 have strong User's Groups which continue to co-ordinate activities. But perhaps more importantly, the Groups had the foresight to centralize all software into a library system. The Vic-20 Club has around 900 programs and the TRS Club about 600 programs indexed and held in a library and accessable to Members at a nominal cost. I have done a lot of work centralizing and indexing magazine information for the benefit of VZ Users. My bibliography is attached to this newsletter. I am now trying to identify the various Users Groups Newsletters which have been circulated since 1983.

So how about writing to me if you have any Newsletters and sending along details of author and date of release etc.? How about letting me know of your ideas on starting a Central VZ Software Library?

Bob Kitch, 7 Eurella St., KENMORE QLD. 4069

Dear Editor, I am currently building the Australian Electronics Magazine's speech synthesiser. Do you know anyone with software for it? Mr.David Mathews, RMB. 4330, SALE. VIC. 3850.

_						
	CENTRONICS PIN CONNECTIONS.		STAOBE	PIN 13	N.C.	PIN 25 EARTH 26 EARTH
	The VZ connections at the printer plu9 (output of Printer interface) are not standard according to Grant Calhoun.	4 5	D D D 2 D 3	16 17	N.C. N.C. N.C. N.C.	27 EMTH 28 EMTH 29 EMTH 30 EMTH
THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	To conform to the standard Centronics connections, Pins 19 to 30 should be earthed. Earth should	7	04 05 06 07	19 20 21	EARTH EMITH EARTH	31 NC 32 N.C 33 N.C 34 N.C
J	be removed from Pins 16 and 33.  P.S. I THINK THERE HILL VARIATIONS TO THIS EVEN.  J.D.	11	N.C. BUSY' N.C.	23	EARTH EARTH EARTH	35 N.C.

### BANKCARD and VISACARD NOW WELCOME



#### PROGRAMMING.

Once you get to write long Programmes, you may have found that there are delays in a Programme when it is run. The screen (VDU) remains stationary, no READY or cursor. This is something that the books don't tell you.


ALMAYS use the CLEAR statement, then initialise all variables at the start of a programme, BEFORE using the DIM statement. If you DIM at the start and somewhere in the programme a variable (string or numeric) is introduced, the VZ has to first shift all the DIM areas to fit the new variable in.

To initialise a string variable just use a Pair of Quotation marks- IE R="".

To initialise a numeric variable just use an 0 (zero)- IE s=0.

Type in the three little Programmes, one at a time, and time them. The first is about 1 1/2 seconds. The second takes about 8 seconds and the third about 2 seconds. So you can see that about 6 seconds is saved in the third Programme.

1 REM JUST 'DIM' 5 CLS 10 PRINT"START":PRINT:PRINT 20 DIMA\$(5000):DIMB\$(5000) 100 PRINT"FINISHED"



1 REM 'DIM' THEN INTRODUCE VARIABLES

5\_UL5

10 PRINT"START":PRINT:PRINT

20 DIMA\$(5000):DIMB\$(5000)

30 A\$="AAAAAAAAAAAAAAAAA":D\$="DDDDDDDDDDDDDD":C=123:G=1:H=5
100 PRINT"FINISHED"

1 REM INITIALISE ALL VARIABLES AT START OF PROGGRAMME 5 CLS

e de la companya de la co

8 A4="":D4="":C=0:G=0:H=0

10 PRINT"START":PRINT:PRINT

20 DIMA\$(5000):DIMB\$(5000)

30 A\$="AAAAAAAAAAAAAA":D\$="DDDDDDDDDDDDD":C=123:G=1:H=5

#### \* EDIT SLIP \*

I request all OOPs to complete this slip and return to me at your earliest. It is similar to the one I included in an earlier LE'VZ. In Particular the question as to whether you want YOUR name to be on the General List. If you answer NO, then your name and address will NOT be given out to OOPs when a list is Printed. IE. of a list of NSW OOPs, DISC user OOPs and so on.

If you answer YES, or do not answer at all, you will automatically be put on the YES General List.

I do not give out Printouts of all OOPs on the G.L. as there are too

				•			
Surname		Mr.Mrs.	Miss and	Christia	n name		
Address						t Code .	
	200 and/or V						
Printer and/	or Plotter			Disc Sys	tem. yes/m	О винции	2 K K
RAM Expansion	n. Yes/No 🔐	Tage Re	conden. '	VZ DTR or	other		p = =
Amy other Per	riPherals. R	MTY, Joust	icks etc		********		
Interest? Ga	mes, Busines:	s, Amateur	Radio:	M/L etc			2 1 1
					Date		

Do you want your name on the GENERAL LIST? Yes/no ...

This program looks for a specified byte. Once it is found the program backspaces to the previous byte and then prints the address in HEX to the printer. The search covers the entire ROM and the DOS region. In this case I was searching for any references to the Communications Area of RAM between the addresses 7ABBH and 7AFFH. BY LAMBY TAYLOR.

```
ØØ1
         CALL 3AE2H
                         ;Do a carriage return
ØØ2
              BC,6ØØØH
                         ; Number of bytes to be searched
ØØ3
        LD
              HL, ØØØØH
                         ;Start of ROM area
ØØ4 RETN LD
              A, (HL)
                         ;Load A with the byte in HL
         CP
995
              ZAH
                         ;Check to see if it is 7AH
ØØ6
         JR
              NZ, NEXT
                         ; If not go to next
         PUSH BC
ØØ7
                         ;Save number of bytes to search
øø8
         PUSH HL
                         ;Save current address being searched
ØØ9
              HL
                         ;Go back one place
Ø1Ø
         LD
              A,H
                         ;Load A with the high byte
         CALL HEX
Ø11
                         ;Convert the value to HEX and print it
Ø12
              A,L
                        ;Load A with the low byte
Ø13
         CALL HEX
                        ;Convert the value to HEX and print it
Ø14
              0,32
                        ;Load C with a space
Ø15
         CALL Ø58DH
                        ;Print it
Ø1A
         POP HL
                         ;Recover the current address
917
         POP
              BC
                         ;Recover the number of bytes
Ø18 NEXT INC
              HL
                        ;Increase the current address by one
Ø19
         DEC
              BC
                        ;Decrease the number of bytes by one
         LD
Ø2Ø
              A,B
                        ;Check to see if the
Ø21
         OR
              С
                        ;contents of BC equals zero
             NZ,RETN
Ø22
                       ; If not then continue search
Ø23
         CALL 3AE2H
                        ;Do a carriage return
Ø24
         J۶
              31488
                         Return to Editor Assembler
Ø25 HEX
         PUSH AF
Ø26
         RRCA
                           Ø35
                                          C, DISP
                                     JR
Ø27
         RRCA
                           936
                                     ADD
                                          A, 7
Ø28
         RRCA
                           Ø37 DISP PUSH HL
Ø29
         RRCA
                           Ø38
                                     LD
                                          C,A
ØZØ
         CALL HEX2
                           Ø37
                                     CALL Ø58DH
Ø31
         POP AF
                           Ø4Ø
                                     POP
                                         HL
Ø32 HEX2 AND
              ØFH
                           Ø41
                                     RET
ø33 j
         ADD
              A, JØH
              RAH
```



LE'VZ 200/300 OOP 2nd birthday.

In June 1984 I printed the first LE'VZ which consisted of only one A4 sheet. How it has 9rown in two years. This edition has more articles than ever, I hope you like it. For those who still wonder what "OOP" stands for, it means "Owners, Operators and Programmers". J.D'A.

#### Celestron Software.

Does anyone know what has happened to this firm? I spoke to John Halkiadakas about October 1985, and he appeared to be the firm's Principle. He advertised in Your Computer Oct 1985. He sent me a three Page flier advertising a VZ Communications Package V1.0. Price \$370.00. The address was P.O. Box 31, HUNTINGDALE. Vic. 3166. 'Phone (03) 791 5850.

I have not heard from him since. The Telecom message says that the 'phone number is not connected. I just this minute tried it again. A couple of OOPs have sent money for programmes but have not received anything from the firm.

the firm.

A WARNING. NEVER send money to a P.O. Box number. If anyone anows any more about this matter Please let me know.